

BIODIAR

Feed additives for animals in powder

COMPOSITION:

Natural components:

- Sweet chestnut
- Oregano
- Carob
- Thyme

USE:

Biodiar is a formulation with a carefully selected and balanced mixture of plants which healing properties contribute to the normalization of digestive functions, alleviating the symptoms of the infection of the gastrointestinal tract, leading to stopping of diarrhea, enhance local immunity and establish microbiological balance. Biodiar prevents and relieves the effects of bacteria and viruses, as well as stress factors during animal transportation, vaccination and changes in climate and conditions. Thanks to its anti-inflammatory, antibacterial, antiviral, antiseptic and astringent properties. Biodiar relieves and stops symptoms of digestive disorders and infections. As herbal supplement is increasing appetite, conversion and feed intake, stimulating immunity and have high influence on healthy status of animal. Biodiar is very efficacy alternative to antibiotics, without resistance to microorganisms. It can be used during all period of breeding.

Sweet chestnut and Carob have synergistic intensive astringent activity with their present tannins which have the ability to bind proteins and thereby bind toxins and bacteria in the gastrointestinal tract. React with the cell wall of bacteria, damaging it and prevent bacterial reproduction. Also tannins have anti- hemorrhagic properties.

Oregano has very strong antibacterial potential with itself alkaloids carvacrol and thymol.

Thyme is present for expressed fact of the immunity in animals.

Using Biodiar herbal premix, animals has more consumption of feed, feed intake and, faster and better results in breeding.

TARGET SPECIES: Pigs, poultry, lambs, calves

DOSAGE: Per oral administration via feed, 1,3-2 kg per 1 ton of ready food mixture. If all animals n farm are using Biodiar for 4 weeks, dose can be decreased every week by 100g, until to 1.3kg/T feed.

Prevention of diarrhea in young piglets:

To reduce the occurrence of diarrhea in newborn piglets, it is necessary to give food mixed with Biodiar 2kg / ton to sows, seven days before farrowing and 7 days after farrowing, and also mix Biodiar in prestarter feed for piglets.

In calves and lambs Biodiar could be apply by milk or water individually by artificially nipple in dose

Calves: 50g /day/5-7 days

Lambs: 50g /day /5-7 days

Best results are shown if application is in feed 2 weeks before expecting critical period, and continue for 1-2 weeks more after that period(prophylactic use), or during the whole period of breeding.

CONTRAINDICATIONS: None described

ADVERSE REACTION: None

WITHDRAWAL PERIOD: None

SPECIAL PRECAUTIONS: Store protected from humidity and light. Keep away from children. Store in closed packaging.

WAY OF ISSUE: Without a prescription.

PRESENTATIONS: 100g, 1kg, 10 kg

ANIMAL CONTROL FACILITY NUMBER: α RS-31-029

PRODUCER NAME AND HEADQUARTERS: Vetplanet doo Vrsac, Vojvodjanskih brigada 16, Serbia.